LAAL ®

126 CANTERBURY ROAD

METRO MELBOURNE

KILSYTH STH

AUSTRALIA

3127

WWW.LAAL.COM.AU
MAIL@LAAL.COM.AU
+61 4 9761 5609

LAAL ®

126 CANTERBURY ROAD

METRO MELBOURNE

KILSYTH STH

AUSTRALIA

3127

WWW.LAAL.COM.AU
MAIL@LAAL.COM.AU
+61 4 9761 5609

TILT



LONG



MEDIUM



FLAT



TILT / SMALL



LONG / SMALL



MEDIUM / SMALL



FLAT / SMALL



NOTES - ALL MEASUREMENTS IN MILLIMETERS. STANDARD CORD LEGNTH IS 3 METERS

LAAL ®

126 CANTERBURY ROAD

METRO MELBOURNE

KILSYTH STH

AUSTRALIA

3127

WWW.LAAL.COM.AU
MAIL@LAAL.COM.AU
+61 4 9761 5609

TECHNICAL INFORMATION

YEAR OR DESIGN	2015
DESCRIPTION	LIGHTING / PENDANT
MATERIALS	ALUMINIUM / STEEL (FINISH DEPENDANT)
FINISHES	LAAL® CORE FINSIHES / LAA®L ANODISED FINISHES / DULUX P/C FINISHES
DIMENSIONS	REFER TO DRAWINGS
LEAD TIMES	VARIES (3 - 9 WEEKS)
VOLTAGE	MAX 250V
RECOMMENDED GLOBE	LAAL® CAP LED G125 E27 GLOBE OR LAAL® LED G125 E27 GLOBE
PRODUCT WEIGHT	<4.5KG
NOTES	LAAL® GLOBES SOLD SEPARATELY
CARE INSTRUCTIONS	SOFT DAMP CLOTH. MUST BE TURNED OFF WHEN CLEANING.

CERTIFICATIONS

CE & SAA APPRROVED FOR COMPLETE SET

WIRE VDE APPROVED

LAMP HOLDER VDE/CE APPROVED

JUNCTION BOX CE APPROVED

TERMINAL BLOCK VDE APPROVED